

LP F5012 1916 W243













douglas Library

QUEEN'S UNIVERSITY
AT KINGSTON
Presented by
Mr. Ed. Phelps,
London, Ont. August 1974
kingston ontario canada

The EDITH and LORNE PIERCE COLLECTION of CANADIANA



Queen's University at Kingston

PRICE LIST

WAMPOLE'S PERFECTED PHARMACEUTICAL SPECIALTIES

HENRY K. WAMPOLE & CO.

MANUFACTURING PHARMACISTS
PERTH. ONT.. CAN.

Entered according to Act of the Parliament of Canada in the year one thousand nine hundred and sixteen by Henry K. Wampole & Co. Limited at the Department of Agriculture, Ottawa.

ALVININE SUPPOSITORIES

(TRADE NAME)

(Suppositoria Alvinina, Wampole)

LOCAL ASTRINGENT AND LAXATIVE

Each adult size suppository contains:

Aloin,	gr.
Henbane Ext.,	
Nux Vomica Ext.,	gr.
Witch Hazel Ext.,	gr.
Precipitated Sulphur,	gr.
Glycerin,	min.

A safe and efficient treatment for constipation, itching or bleeding piles, and other hemorrhoidal or kindred affections of the bowels.

Torpor of the colon is one of the most common systemic conditions in habitual constipation. Habit is one of the most common causes of this complaint, arising from the fact that by means of our individual control over the sphincter ani muscle, nature has endowed us to a considerable extent with the power of regulating the alvine discharges and of resisting the solicitations of nature at inconvenient seasons, whilst the bowel, thus habituated to the presence of fecal matter, at length ceases to be excited into action.

The above combination, as applied in the form of a perfectly shaped suppository, is one from which the physician may obtain the local as well as the systemic effects of the valuable medicinal ingredients.

The numerous criticisms and various suggestions made us by physicians in connection with Glycerin Suppositories, in the manufacture of which we have had an extended experience, have led us to the above formula as one which will give excellent results, without being in any way objectionable.

Two sizes of these Suppositories are prepared, the adults' size, 30 grains, and the children's size, 15 grains, put up in small boxes, each containing twelve suppositories.

IKIGES	
Per dozen boxes, adults' size,	4.25
Per box of 100 Suppos., adults' size	2.40
Per dozen boxes, children's size.	3.00
Per how of 100 Suppose children's size	1 75

ANTISEPTIC VAGINAL CONES, (PLAIN)

(TRADE NAME)

(Suppositoria Boroglyceridi Composita, Wampole)

ANTISEPTIC DEODORANT ASTRINGENT

FORMULA:

Formolid, concentrated	10 gr.
Sodium Tetraborate	5 gr.
Zinc Borate	
Acetanilide	2 gr.
Hydrastine, equal to Tinct. Hydrastis	15 min.
Boroglyceride with Gelatin	00 gr.

WILL DEODORIZE AND DIMINISH EXCESSIVE VAGINAL SECRETION

A perfectly harmless yet very efficient antiseptic combination, intended as an aid to the physician in the treatment of leucorrhea, pruritus vulvæ, vaginal catarrh, inflammation of the genital organs, and the various diseases of the vagina and uterus, supplementing his more direct medication in serious affections.

The cones are free from unpleasant odor, mildly astringent and powerfully antiseptic and deodorant. They readily adapt themselves to any part of the vaginal surface, and being soft and soluble, cannot cause injury to the parts while inserting or when in place.

They dissolve slowly and completely, insuring a thorough and prolonged therapeutic action, most desirable in the treatment of local diseases, without any inert residue to cause irri-

tation and pain, or staining of linen.

For cleanliness, convenience, adaptability and ease of administration, the cones are preferable to tampons or injections, avoiding unnecessary exposure and annoyance to the patient.

ANTISEPTIC VAGINAL CONES are especially valu-

able in relieving excessive leucorrheal discharge.

More satisfactory results will be obtained by preceding

the use of the cones by a warm water injection.

DIRECTIONS:—Use one cone at night when retiring, Moisten with warm water, and insert the larger end first, placing cone high into the vagina. Use napkin. Repeat as directed by physician.

Per	dozen	boxes,	each	containing	12	cones		6	 	\$4.50
Per	box of	100 cd	nes.							2.65

ANTISEPTIC ICHTHYOL CONES

(TRADE NAME)

(Suppositoria Ichthyolis Composita, Wampole)

ALTERATIVE

DEODORANT

GERMICIDE

FORMULA:

Ichthyol	gr.
Formolid, concentrated	
Sodium Tetraborate	gr.
Zinc Borate ½	gr.
Acetanilide	gr.
Hydrastine, equal to Tinct. Hydrastis 15	
Boroglyceride with Gelatin	

LOCAL ALTERATIVE AND ANODYNE FOR INFLAMED AND CONGESTED CONDITION OF THE VAGINA AND UTERUS.

An alkaline antiseptic combination designed to neutralize the acid secretions of the vagina and render them mildly alkaline, thereby destroying the activity of any foreign organisms, bacteria, etc.

In the treatment of gouorrhea, ICHTHYOL CONES will prove very satisfactory, the statement being made by eminent investigators that "careful trials prove that Ichthyol is one of the few medicaments which kill gonococci quickly and safely without increasing the inflammatory catarrhal process or affecting the mucous membrane itself injuriously. In acute gonorrhea Ichthyol is a prompt remedy and in chronic forms it renders excellent service in many cases where other treatment has failed."

The most satisfactory results will be obtained by preceding the use of the cones by a warm water injection, either plain or containing an antiseptic solution, such as WAMPOLE'S FORMOLID, thus preparing the mucous surface for their more direct and immediate action.

DIRECTIONS:—Use one cone at night when retiring. Moisten with warm water, and insert the larger end first, placing cone high into the vagina. Use napkin. Repeat as directed by physician.

Per	dozen boxes, each containing 12 cones	\$7.50	Ö
Per	box of 100 cones	4.50	ı

ANTISEPTIC ICHTHYOL AND IODINE CONES

(TRADE NAME)

(Suppositoria Ichthyolis et Iodi Composita, Wampole)

ANTISEPTIC

ALTERATIVE

EXCITANT

FORMULA:

Iodine	1.8	(EX
Ichthyol	. 10 g	r.
Formolid, concentrated	. 10 g	r.
Sodium Tetraborate	. 5 g	r.
Zinc Borate	1 8	r.
Acetanilide	. 29	T.
Hydrastine, equal to Tinct. Hydrastis	. 15 r	nin.
Boroglyceride with Gelatin		

A LOCAL ALTERATIVE AND ANODYNE FOR THE TREAT-MENT OF CONGESTED, INFLAMED AND ULCERATIVE CON-DITIONS OF THE VAGINA AND UTERUS.

ICHTHYOL AND IODINE CONES are particularly useful in the treatment of ulcerations of the cervix uteri and chronic congestion and inflammation of the uterine canal. Their peculiar shape and size insure their retention in place until they are entirely melted and dissolved, and they maintain a prolonged and complete contact of the desired medicaments to the diseased parts.

In the treatment of leucorrhea, pruritus vulvæ and vaginal or cervical catarrh, it will prove to be a harmless vet very

efficient combination.

In cases of gonorrhea this preparation is a most prompt and satisfactory remedy, checking and modifying the secretions and killing the gonococci quickly and safely, without increasing the inflammatory catarrhal process or injuriously affecting the mucous membrane itself.

DIRECTIONS:—Use one cone at night when retiring. Moisten with warm water, and insert the larger end first, placing cone high into the vagina. Use napkin. Repeat as

directed by physician.

Per	dozen boxes	s, each	containing 1	12	cones.	 	 	\$7	. 50	
Per	box of 100	cones.				 3:		4	. 50	

ANTISEPTIC PICRIC ACID CONES

(TRADE NAME)

(Suppositoria Acidi Picrici Composita, Wampole)

LOCAL ALTERATIVE

DEODORANT

FORMULA:

Picric Acid		1 gr.
Formolid, concentrated		
Sodium Tetraborate		5 gr.
Zinc Borate		
Acetanilide		
Hydrastine, equal to Tinct. Hydrast		
Boroglyceride with Gelatin	1	.00 gr.

USEFUL IN ALL INFLAMMATORY, ULCERATIVE OR CONGESTED CONDITIONS OF THE VAGINA OR UTERUS; WILL CHECK EXCESSIVE SECRETION AND PROMOTE RAPID HEALING WHERE ULCERATION EXISTS.

Picric Acid is recognized as a potent local application in the treatment of burns, erysipelas, eczema and other skin lesions, especially where these affections are accompanied by a pruritus.

The erosions of mucous membranes and lesions of the skin being somewhat similar, Picric Acid has been tried and found very effective as a local application in inflammation and ulceration of the cervix and vagina.

It has proven of great value to the practitioner, not alone in the treatment of congestion and inflammation of the vagina and cervix, but in the same conditions existing in the uterus and its appendages. In cancer of the cervix and cases where surgical interference is indicated, but impossible, Picric Acid gives relief, and holds the morbid process in check.

As an antiseptic and germicide in gonorrheal inflammation, Picric Acid has been found of great value.

DIRECTIONS:—Use one cone at night when retiring. Moisten with warm water, and insert the larger end first, placing cone high into the vagina. Use napkin. Repeat as directed by physician.

Per dozen boxes, each co	ontaining 12 cones	\$7.50
Per box of 100 cones		4.50

ASTRINGENT VAGINAL CONES

(TRADE NAME)

(Suppositoria Astringens, Wampole)

ANTISEPTIC LOCAL ASTRINGENT TONIC FORMULA: Alum 2 gr. Witch Hazel Ext 2 gr. Acetanilide 2 gr. Zinc Borate 1 gr. Zinc Phenolsulphonate 3 gr. Sodium Tetraborate 5 gr. Hydrastine, equal to Tinct. Hydrastis 15 min.

Formolid, concentrated 10 gr.

A mild and efficient astringent and antiseptic combination for the treatment of local inflammatory conditions, giving relief from pain, and avoiding in many cases, the undesirable exposure and annoyance of local applications.

The cones are free from any unpleasant odor, decidedly

astringent, and powerfully antiseptic and deodorant.

Their peculiar shape and size insure retention in place until entirely melted and dissolved, and being soft and entirely soluble, they cannot cause pain or injury to the parts, while inserting or when in place.

The physician will readily note from the formula the many conditions in which ASTRINGENT CONES will prove use-

ful, either alone or as an adjunct to other medication.

The most satisfactory results will be obtained by preceding the use of the cones by a warm water injection, either plain or containing an antiseptic solution, such as WAMPOLE'S FORMOLID, thus preparing the mucous surface for their more direct and immediate action.

DIRECTIONS:—Use one cone at night when retiring. Moisten with warm water, and insert the larger end first, placing cone high into the vagina. Use napkin. Repeat as directed by physician.

TRICES	
Per dozen boxes, each containing 12 cones	\$6.75
Per box of 100 cones. A A A A A A A A A A A A A A A A A A A	4.00

APERGOLS

(TRADE NAME)

(Capsula Apiolis Composita, Wampole)

UTERINE STIMULANT

EMMENAGOGUE

Each capsule contains:

Apiol	5 min.
Oil Savin	½ min.
Ergotin.	1 gr.
Aloin	½ gr.
Aromatics	q.s.

AN IDEAL REMEDY FOR AMENORRHEA, DYSMENORRHEA AND MENSTRUAL DISORDERS.

Apiol seems to have fully established for itself a permanent place in the successful treatment of menstrual disorders, clinical experience confirming its value as an emmenagogue. It is strongly endorsed in amenorrhea in anticipation of the menstrual period, and in dysmenorrhea, during its continuance. Its combination, therefore, with Ergotin and Oil of Savin, concerning which there is an abundance of data as the result of long years of exhaustive investigation, seems to be fully justified; and such results as have already been secured from the administration of Apergoles, lead us to commend them with confidence to physicians who have failed to obtain from other remedies the desired measure of success.

Dose:—For amenorrhea, two capsules three times daily until the menstrual flow is established. For dysmenorrhea, one capsule four times daily, commencing a few days previous to the time menstruation is due, and continuing until the flow has stopped.

Per	dozen	boxes	containing	each 24	capsules.	 \$8.50
Per	box co	ntaini	ng 100 cap	sules		 2.70

AROMATIC LAXATIVE COMPOUND

(TRADE NAME)

(Syrupus Glycyrrhizæ Compositus, Wampole)

A PLEASANT AND EFFECTIVE LAXATIVE PREPARATION, VERY
AGREEABLE IN TASTE, PROMPT AND CERTAIN IN ACTION

EACH TEASPOONFUL REPRESENTS IN ACTIVITY ONE DRAM OF COMPOUND LICORICE POWDER, U.S.P.

As this article is a clear liquid, it necessarily contains only the soluble constituents of licorice powder, the sulphur being practically eliminated.

The United States Dispensatory, page 1026, states:—
"The advantage to be gained by the use of washed sulphur in the proportion of only eight per cent., must be purely imaginary."

The active medicinal ingredient is the senna, and we have made a preparation of this remedy, combined with aromatics, that is gentle and effective, and will not gripe.

Physicians will find that Aromatic Laxative Compound will meet the demand by the profession for an absolutely safe, pleasant and reliable laxative combination, which can be readily prescribed to suit the case and condition. It is entirely free from griping effect, gentle but positive in action, and without debilitating or constipating after-effects. It can be given with safety to the very young or very old, to the sick under nearly all conditions of diseases, and is especially valuable as a safe and effective laxative for women during pregnancy.

Unlike most remedies of its class, this preparation can be used regularly, if necessary, without any fear of producing functional derangement, and in constipated conditions can be used in decreasing doses until natural movements occur.

Dose:—For adults, as a laxative, one to two teaspoonfuls; as a cathartic, one-half to one tablespoonful.

For children, according to age, from fifteen drops to one teaspoonful.

Per dozen 4 oz. bottles (title label only)	\$2.70
Per dozen 16 oz. bottles	10.00
Per half gallon bottle	3.65
Per gallon hottle	6,60

ASPAROLINE

(TRADE NAME)

(Elixir Apii et Viburnum Compositum, Wampole)

Each fluid ounce contains:

Asparagus Seed	
Parsley Seed	
Henbane	
Black Haw	
Cramp BarkIndian Cannabis	11 02
Cassia	
Cloves	

FORMULA IMPROVED AND MADE MORE PALATABLE MARCH 1st. 1913.

For the immediate relief of cramp or pain, either before, at the beginning of, or during the menstrual period. It acts as a sedative tonic

beginning of, or during the menstrual period. It acts as a sedative tonic to the parts and will not disturb the stomach
ASPAROLINE is almost a specific remedy for irregular and painful menstruation or dysmenorrhea, amenorrhea or scanty menstruation, leucorrhea and all kindred disorders or diseases, where the uterine organs are involved, acting as a powerful uterine tonic and invigorator. It acts as a preventative of miscarriage and relieves pain after miscarriage or natural labor, preventing excessive hemorrhage.

ASPAROLINE is invaluable in the treatment of uterine pains and irregularities following exposure, overwork, anxiety, fright, etc., acting as a warm stimulant to the stomach and pelvic organs, and immediately relieving pain, spasm and nervous excitability.

In those patients where backache, bearing down or dragging pains are a more or less constant symptom, and the menstrual period

In those patients where backache, bearing down or dragging pains are a more or less constant symptom, and the menstrual period is one always to be dreaded, the administration of small doses of ASPARO-LINE between the periods, followed by larger doses just before and up to the establishment of the expected menstruation, will not only give relief and promote regularity, but unless serious organic lesions exist, will effect permanent results.

In cases of hysterical and nervous disorders, due to disturbances of the menstrual function, ASPAROLINE not only gives immediate relief from the nervous symptoms, but often effects a permanent cure by re-

moving the cause.

The action of Asparoline in the larger doses is calmative and sedative with a resulting relaxation and drowsiness, when the pain is relieved. The patient should then lie down and sleep awhile.

DIRECTIONS FOR USE:—For cramp or acute pain at the beginning of, or during the menstrual period, the dose is one dessertspoonful or one tablespoonful, according to age and severity of pain, to be repeated in about one-half hour, if necessary to relieve the pain and promptly start the menstrual flow.

For scanty or irregular menstruation or amenorrhea, leucorrhea and kindred disorders or diseases affecting the uterine organs, and as a general tonic and invigorator, one or two teaspoonfuls may be taken three times daily, one hour after or before meals.

Per dozen 16-oz. bottles	 \$10.00
Per half-gallon bottle	
Per gallon bottle	

BISMUTH HYDRATE COMPOUND

(TRADE NAME)

DIARRHEA MIXTURE.

(Mistura Bismuthi Composita, Wampole)

ASTRINGENT

CARMINATIVE

ANTISEPTIC

Each fluidram contains:

Bismuth Hydrate (Hydroxycarbonate),										
(by volume in suspension)	50 %									
Red Gum Fluidextract	4 min.									
Salol	½ gr.									
Pancreatin.	i gr.									
Chloroform	1 min.									
Antisentic Oils and Aromatics										

WILL CHECK DIARRHEA, RELIEVE PAIN, AND PRODUCE AN ASEPTIC CONDITION THROUGHOUT THE ENTIRE DIGESTIVE TRACT WITHOUT ANY BINDING AFTER-EFFECT. ENTIRELY FREE FROM OPIUM OR NARCOTICS.

BISMUTH HYDRATE COMPOUND contains Bismuth in a state of such minute sub-division that its distribution throughout the entire intestinal tract is assured. It possesses all of the valuable sedative, tonic and mild astringent action of Bismuth Subnitrate, and forms a uniform coating over the entire surface of all mucous membranes with which it comes in contact.

BISMUTH HYDRATE COMPOUND exerts a mild astringent action upon the gastro-intestinal mucous membranes without the harshness and binding after-effects of tannin, gallic acid and similar astringent drugs, and promotes a return to a normal condition of the digestive tract.

Dose:—For adults, one teaspoonful every hour (or oftener, if necessary, during the first hour) for six or eight doses, then every one or two hours until relieved, or the diarrhea is checked; for children, according to age, from ten drops to one-half teaspoonful,

Per dozen 16 oz. bottles	.\$10.00
Per half gallon bottle	. 3.65
Per gallon bottle.	6.60

BRONCHOIDS

(TRADE NAME)

(Capsula Creosoti et Terebeni Composita, Wampole)

EXPECTORANT

ANTISEPTIC

SEDATIVE

Each capsule contains:

Creosote		 	 	1 min.
Terebene.		 		2 min.
Eucalyptol.		 	 	1 min.
Diacetyl-mo				
Hydr	•			1. or

An effective combination in the treatment of bronchitis, coryza, coughs, acute rhinitis or common cold in the head, capillary or broncho-pneumonia and bronchial asthma.

A most desirable remedy and of great service in warding off the ill effects of changeable climatic conditions. It reaches the seat of all bronchial and laryngeal affections, and loosens the acute congestion of the bronchial tubes.

Bronchoids open and keep aseptic and sweet all the air passages, producing an exhilarating effect, relieving the distressing tightness and rawness in the chest, and causing a rapid diminution of secretion. They give speedy relief in the most obstinate and repeatedly recurring coughing attacks, as well as the severe paroxysms attending bronchial asthma.

BRONCHOIDS differ from most other bronchial remedies in being neither irritating nor nauseating.

Dose:—One or two capsules, three to five times daily.

Per	dozen boxes, containing each 24 capsules		 . \$4.50
Per	box containing 100 capsules		. 1.40

CACTALIS

(TRADE NAME)

(Tabella Cactus Composita, Wampole)

STRENGTHENS THE ACTION OF THE HEART, LESSENS ITS FREQUENCY AND CORRECTS IRREGULARITY.

Each tablet contains:

Nitroglycerin	gr.
Strychnine Sulphate	gr.
Sparteine Sulphate	d gr.
Digitalis Tinct., U.S.P. 1890	2 min.
Strophanthus Tinct., U.S.P. 1890	2 min.
Cactus Fluidextract	1 min.

CACTALIS is a cardiac and vascular stimulant which slows and regulates the action of the heart, conserving its energy. At the same time, by increasing the force of the contraction of the heart muscle, and the tone of the blood vessels, it acts as a valuable diuretic in cases of dropsy due to cardiac disease, and gives immediate relief in asthma or difficult breathing when caused by imperfect circulation.

CACTALIS is of great value when the force of the heart beat requires strengthening or where dilatation has set in as the result of obstruction to the circulation, the combination of drugs in this formula being so arranged that the heart muscle is stimulated and regulated in its action, while at the same time the tension in the blood vessels is brought to normal.

By prolonging the diastole or expansion of the heart, thereby aiding in the filling of the coronary arteries and consequently in the nutrition of the heart muscle, CACTALIS is of conspicuous service in weak heart of the aged, or loss of strength of this organ caused by fatty degeneration, in palpitation due to physical or mental strain, or to the excessive use of tobacco or alcohol, and as a cardiac stimulant in functional disorders of the heart connected with anemia, neurasthenia, dyspepsia, or prostration from acute or chronic diseases.

Dose:—One or two tablets, three or four times a day taken preferably after meals.

Per	dozen	bottles, each containing 100 tablets	\$4.00
		of 500 tablets	
Per	bottle	of 1000 tablets	2.35

CARMINATIVE

(TRADE NAME)

(Elixir Foeniculi Compositum, Wampole)

FREE FROM OPIUM OR NARCOTICS

Each teaspoonful contains:

Fennel.	10 gr.
Catnep.	
Senna.	
Sodium Bicarbonate	
Oil Spearmint	i min.

SPEEDILY RELIEVES INFANTILE COLIC.

A safe and palatable compound of simple and reliable aromatic carminatives, which, while entirely free from Opium, Chloral or the Bromides, brings about a speedy and decided relief in flatulence, colic, or the hysteria of infants and young children, calming the nerves and inducing quiet sleep from which the patient awakens bright and refreshed.

WAMPOLE'S CARMINATIVE, as prepared by us, will be found to be a panacea to children. It appeals to the physician as a safe and efficient remedy to leave in the hands of attendants, and to the mother and nurse as an always ready preparation free from the dangers or after-effects of paregoric or other narcotics.

While CARMINATIVE is primarily a remedy for infants and young children, it will afford speedy relief to adults suffering from acid stomach, dyspepsia, flatulence and indigestion, being especially beneficial in the treatment of these troubles existing in the aged and infirm.

Dose:—For infants from one to four weeks old suffering from colic, from five to eight drops in a teaspoonful of warm water every fifteen to twenty minutes until relieved and quieted; for older infants, this dose to be increased up to a teaspoonful by one or two drops for each week above four weeks in age; for adults, a dessertspoonful to a tablespoonful repeated as required.

1 KICES															
Per dozen 16 oz. bottles.			÷												.\$10.00
Per half gallon bottle															. 3.65
Per gallon bottle															

CHIODRASTIS

(TRADE NAME)

(Elixir Hydrastis Compositum, Wampole)

FOR HABITUAL CONSTIPATION

Each dessertspoonful contains:

Hydrastis.		in nai	2 gr.
Chionanthus			4 gr.
Cascara Sagrada			$2\frac{1}{2}$ gr.
Pancreatin		وندو والمامات	2 gr.
Antiseptic Oils and Arom	atics		Q.S.

FOR THE TREATMENT OF INTESTINAL INDIGESTION, GASTRO-INTESTINAL CATARRH AND INTESTINAL FERMENTATION

Hydrastis causes a marked increase in the biliary secretion, exerts a specific influence upon the liver and has a peculiar influence upon mucous membranes; it is therefore of distinctive value in the treatment of chronic gastro-intestinal catarrh. Chionanthus is a prompt and efficient remedy in hepatic inflammation and portal congestion. Cascara Sagrada increases intestinal action chiefly through its tonic effect on the muscular coat of the bowel. The value of Pancreatin in all cases of intestinal indigestion seems unquestioned.

CHIODRASTIS stimulates normal gastric, biliary and intestinal secretion, promotes intestinal peristalsis and inhibits the propagation and growth of putrefactive organisms in the alimentary canal. It exerts a tonic stimulant effect upon the gastro-intestinal mucous membrane and is of special value in the treatment of catarrhal conditions of all kinds affecting the digestive tract. In duodenal catarrh, with or without jaundice, chronic catarrh of the intestines, ulcerative catarrh of the intestinal mucous membrane and in chronic gastric catarrh resulting from excessive use of alcohol, it is a most excellent remedy.

Dose:—One to two dessertspoonfuls three or four times daily, about one hour after meals; in chronic conditions, night and morning.

Per dozen 16 oz. bottles \$	10.00
Per half gallon bottle	
Per gallon bottle.	6.60

PERFECTED AND TASTELESS PREPARATION OF THE EXTRACT OF

COD LIVER OIL

(TRADE NAME)

(Extractum Olei Morrhuae Compositum, Wampole)

UNEOUALLED AS A RECONSTRUCTIVE TONIC.

Contains a solution of the extractive obtainable from fresh Cod Liver Oil, the oily or fatty portions being afterward entirely eliminated. This extractive is combined with Liquid Extract of Malt, Fluidextract of Wild Cherry Bark and Compound Syrup of Hypophosphites (containing Calcium, Sodium, Potassium, Iron, Manganese, Quinine and Strychnine.)

This preparation has an agreeable taste and will not cause the unpleasant digestive disturbances and eructations

so characteristic of raw cod liver oil.

When in 1880 we originated this preparation of the EXTRACT OF COD LIVER OIL and called attention to the powerful stimulant or tonic action upon the centres of nutrition of the alkaloids, or leucomaines, contained in cod liver tissues, and extractable therefrom through the medium of the brown oil (not the amber oil of commerce), there was much skepticism as to the existence of these alkaloids; but, to-day, they are well recognized, isolated and offered for sale by the leading chemical houses throughout the world.

It is to these active principles that cod liver oil owes its well demonstrated efficiency as a nutritive tonic, and not to the nauseous, stomach-deranging, often ptomaine-laden, fat or grease offered in emulsions and otherwise. WAMPOLE'S PREPARATION OF THE EXTRACT containing these principles, is a valuable addition to the armamentarium of any physician

in active practice.

Dose:—For adults, a tablespoonful to be taken, preferably, about half an hour before meals and upon retiring; for children, according to ailment, age and temperament, one or two teaspoonfuls.

Retail price, one dollar per sixteen ounce bottle.

Per	dozen 16 oz. bottles.			 	 	 		 			\$8.50
Per	half gallon bottle			 	 	 		 			3.40
Per	gallon bottle	٠. ,		 	 	 ٠.		 			6.10

COLCHI-METHYL CAPSULES

(TRADE NAME)

(Capsula Salicylas Composita, Wampole)

FOR RHEUMATISM, SCIATICA, GOUT, NEURALGIA

Each capsule contains:		
Phenyl Salicylate (Salol)	2	gr.
Methyl Salicylate	3	min.
Colchicine	7	gr.

Dr. Roberts Bartholow highly recommends Colchicine for its prompt removal of waste products and uric acids, and the general trend of medical opinion seems to be that in small doses it produces a decided diuresis, Christison and others asserting that it increases the quantity of salts as well as of water eliminated.

Phenyl Salicylate, or Salol, it seems to have been well demonstrated, is broken up by the pancreatic juice, yielding about 64% of Salicylic Acid, for which in the treatment of rheumatic diatheses, it is now largely substituted. The same decomposition, in all probability, takes place with Methyl Salicylate.

The formula, therefore, is one that should strongly commend COLCHI-METHYL CAPSULES for the elimination of Xanthin and Uric Acid, and for the reduction of those gouty or rheumatic conditions, in the treatment of which Salicylic Acid and the Salicylates have been found so peculiarly effective.

The use of lithia tablets in connection with COLCHI-METHYL CAPSULES will still further facilitate the elimination of uric acid as a soluble lithia salt.

Dose:—One capsule every hour during the first day, avoiding an empty stomach, gradually reducing the number of capsules each succeeding day as symptoms warrant.

Per	dozen l	ooxes,	each o	containing	24	capsules	 	.	\$8.50
Per	box co	ntaini	ng 100) capsules.			 		2.65

CREO-TERPIN COMP.

(TRADE NAME)

(Elixir Creosoti et Terpini Compositum, Wampole)

A RECONSTRUCTIVE TONIC AND HEALING EXPECTORANT. RELIEVES COUGH AND PAIN

Each fluidounce contains:

Diacetyl-Morphine Hydrochlor (Heroine	
Hydrochloride)	$\frac{1}{6}$ gr.
Terpin Hydrate	4 gr.
Creosote	
Calcium Glycerophosphate	4 gr.
Sodium Glycerophosphate	

DOES NOT DISTURB DIGESTION

CREO-TERPIN COMP. acts as an expectorant and healing deodorant, which in its elimination through the bronchial mucous membrane allays irritation, relieves obstinate cough and produces a free and deodorized expectoration.

In phthisis, acute or chronic bronchitis, and the bronchial catarrh of the aged, this preparation checks the distressing cough, renders the secretion less tenacious and at the same time makes manifest its stimulant tonic properties by improved appetite and increase in the weight and vigor of the

The administration of Creo-Terrin Comp. in tubercular pleurisy is followed by the gradual disappearance of the effu-

sion, fever and other symptoms.

In asthma, whooping cough and all coughs of a spasmodic nature, and in acute catarrhal inflammation of the respiratory tract, influenza, hay fever and general cold, CREO-TERPIN COMP. relieves spasm and pain, reduces fever, soothes the irritated mucous membranes and restores tone to the affected parts.

Dose: One or two teaspoonfuls every one to three hours; children according to age, from ten drops to one-half

teaspoonful.

Per dozen 16 oz. bottles.	 .\$10.00
Per half gallon bottle	 3.65
Per gallon bottle	 6.60

CREO-MUR

(TRADE NAME)

(Elixir Creosoti et Terpini Compositum, Cum Ammonium Chloridum, Wampole)

A SIMILAR PREPARATION TO CREO-TERPIN COMP. WAMPOLE. WITH THE ADDITION OF AMMONIUM CHLORIDE.

Each fluidounce contains:

Diacetyl-Morphine Hydrochlor (Heroine	
Hydrochloride)	å gr.
Terpin Hydrate	4 gr.
Creosote.	4 min.
Calcium Glycerophosphate	
Sodium Glycerophosphate	4 gr.
Ammonium Chloride	16 gr.

A RECONSTRUCTIVE TONIC AND HEALING EXPECTORANT. RELIEVES COUGH AND PAIN

DOES NOT DISTURB DIGESTION.

CREO-MUR acts as an expectorant and healing deodorant, which in its elimination through the bronchial mucous membrane allays irritation, relieves obstinate cough and

produces a free and deodorized expectoration.

In phthisis, acute or chronic bronchitis, and the bronchial catarrh of the aged, this preparation checks the distressing cough, renders the secretions less tenacious and at the same time makes manifest its stimulant tonic properties by improved appetite and increase in the weight and vigor of the patient.

The administration of CREO-MUR in tubercular pleurisy is followed by the gradual disappearance of the effusion,

fever and other symptoms.

In asthma, whooping cough and all coughs of a spasmodic nature, and in acute catarrhal inflammations of the respiratory tract, influenza, hay fever and general cold, CREO-MUR relieves spasm and pain, reduces fever, soothes the irritated mucous membranes and restores tone to the affected parts.

Dose:—One or two teaspoonfuls every one to three hours; children according to age, from ten drops to one-half

teaspoonful.

Per dozen 16 oz. bottles	 .\$10.00
Per half gallon bottle	 . 3.65
Per gallon bottle	 . 6.60

DIGESTIVE KOLA WINE

(TRADE NAME)

(Vinum Kolæ, Wampole)

A POWERFUL NERVE TONIC AND DIGESTIVE STIMULANT

This preparation is made by exhausting the medicinal virtues of Kola Nut and combining them with a special rich brand of old Port Wine, then adding a definite quantity of high grade Pepsin in order to give it digestive value.

Each tablespoonful dose represents thirty grains of Kola Nut and one-half grain of high grade Pepsin testing 1 to 3,000 and is capable of digesting three ounces of hard-boiled white of egg or a corresponding quantity of meat.

The fresh Kola Nut has a decided caffeinic stimulating effect, and owes its medicinal value to its contained glucoside Kolanin, yielding Caffeine, Kola Red, etc.

As a mental and physical stimulant, for sustained effort, with remarkable and lasting tonic effects, Kola is superior to any drug known and, unlike Coca, does not induce the patient to become a slave to its use.

It is indicated in mental and nervous depression, exhaustion, and debilitated conditions generally, and is highly recommended as of great value to those either temporarily or permanently abjuring the use of tobacco, its action being such as to gradually allay the intense craving of the usual tobacco stimulant.

Dose:—One to two tablespoonfuls after meals.

Per dozen 16 oz. bottles.				 						.\$10.00
Per half gallon bottle				 						. 3.65
Per gallon bottle				 						. 6.60

FORMOLID-ANTISEPTIC SOLUTION

(TRADE NAME)

(Liquor Antisepticus, Wampole)

A CONCENTRATED NON-TOXIC ANTISEPTIC AND GERMICIDE

Composition:

Acetanilide	Aleidain.		3 %
Boroglyceride			1 %
Sodium Benzoate			1 %
Boric Acid		in value in	2 %
Formaldehyde Solut	ion		. 1 %
Eucalyptol, Thymol.	. Menthol. Oil G	aulthería.	

ABSOLUTELY SAFE, NON-IRRITANT, PROPHYLACTIC.

Formolid properly diluted, may be used with perfect freedom as an injection, lotion or spray in the treatment of diseased and inflamed conditions of the various natural cavities of the body.

It is useful as a vaginal douche for catarrhal conditions of the vagina, leucorrhea, vaginitis, etc., acting as a deodorant and germicide, with a mild astringent effect. For gonorrhea and similar diseases it can be combined with any of the usual

medicaments, enhancing their value.

In eruptive diseases, as measles, scarlet fever and smallpox, Formolid mixed with glycerin and water (equal parts), and sprayed or sponged upon the skin will give grateful relief from the intolerable itching and burning. It also removes the offensive and characteristic odor and diminishes the infectious properties of the disease.

DIRECTIONS FOR USE

Externally:—It may be used pure or diluted with water, glycerin or alcohol, in any desired proportion, and may be used in connection or combination with other indicated remedies.

Internally:—One-half to two teaspoonfuls diluted with a wineglassful or more of water, three or more times daily, as indicated.

Retail prices, twenty-five and fifty cents.

Per dozen 4 oz. bottles, in display container	\$1.75
Per dozen 12 oz. bottles.	4.00
Per half gallon bottle	2.00
Per gallon bottle.	3.50

FORMOLID-MAGNESIA

(TRADE NAME)

PREVENTS TOOTH DECAY, RECEDING GUMS AND SENSITIVE DENTINE

Composition:—Magnesium Hydrate, glycerin, eucalyptol, thymol, menthol, oil of gaultheria, boroglycerin, potassium bicarbonate and sodium borate.

REMOVES THE DRYNESS OF MOUTH AND THROAT DUE TO MOUTH-BREATHING WHILE SLEEPING OR CAUSED BY SMOKING.

There are few organs of the body that contribute as much to the general welfare of the individual as the teeth, if they are in perfect order and fit to do the work for which

they are designed.

FORMOLID-MAGNESIA, by reason of its antiseptic, alkaline and penetrating qualities, produces an ideally healthy environment for the teeth. It instantly neutralizes any acid condition of the mouth, destroys bacteria, prevents any possible fermentation of particles of food and keeps the mouth in an antiseptically clean and alkaline condition.

The daily use of FORMOLID-MAGNESIA will keep the mouth and teeth in a healthy, normal alkaline condition, avoiding the effect on the teeth of careless and improper eating, sour stomach, excessive use of candies, fruits, etc. It can be used at any time to neutralize an acid condition of the mouth produced by eating acid fruits, taking acid

medicines, etc.

Offensive breath caused by dental caries, sour stomach, or other conditions of the mouth and throat, is usually promptly relieved by the use of FORMOLID-MAGNESIA.

FORMOLID-MAGNESIA has no action on the enamel and is entirely harmless if swallowed, the only effect being pos-

sibly a slight laxative action due to the magnesia.

Directions:—FORMOLID-MAGNESIA may be used pure but for general use is preferably diluted with one or two parts of water especially for children. About a teaspoonful should be used to thoroughly rinse the teeth and mouth just before retiring and in the morning.

Retail prices, twenty-five and fifty cents.

Per dozen	4 oz.	bottles,	in	display	container	 	 	\$1.75
Per dozen								

FORMOLID THROAT EASE

(TRADE NAME)

QUICKLY RELIEVES TICKLING AND IRRITATION OF THE THROAT

INDISPENSABLE TO SINGERS AND PUBLIC SPEAKERS STRONGLY ANTISEPTIC, ABSOLUTELY HARMLESS.

FORMOLID-THROAT EASE is composed of acacia, sugar, eucalyptol, thymol, menthol, methyl salicylate and eucalyptus rostrata. It positively contains no sedatives or harmful drugs, will not disturb the stomach and may be used freely at any time by simply allowing a troche to dissolve in the mouth.

The action of FORMOLID-THROAT EASE is almost entirely local to the throat and bronchial tubes, and it quickly relieves the tickling and coughing induced by throat irritation and inflammation from any cause. It is useful to clear the voice when suffering from hoarseness or huskiness and will soothe and relieve the inflamed condition of the throat usually attending an ordinary cold in the head or a cough. For dryness of the throat due to smoking or mouth breathing at night, a troche allowed to dissolve in the mouth will afford grateful relief.

FORMOLID-THROAT EASE being strongly antiseptic and germicidal, will act as a preventive of all throat troubles, producing an aseptic and sweet condition of the mouth, and throat, deodorizing any offensive breath and neutralizing the odors of tobacco, liquor, onions, ecc.

DIRECTIONS:—Allow a lozenge to dissolve slowly in the mouth, repeating as often as desired or necessary. It is desirable that the action of the medicaments should be prolonged as long as possible, hence water should not be taken while the lozenge is undissolved. A lozenge placed in the mouth upon retiring will remove or lessen any tickling of the throat usually accompanying an ordinary cold, and induce sleep.

PRICES

Per 3 dozen boxes, 10 c. size in counter display container \$2.40 Per 1 dozen boxes, 25 c. size in counter display container 1.75

GLYCERIN SUPPOSITORIES

(TRADE NAME)

(Suppositoria Glycerini, Wampole)

HERMETICALLY SEALED IN INDIVIDUAL GLASS TUBES

Nature has endowed us to a considerable extent with the power of regulating the alvine discharges and of resisting the solicitations of nature at inconvenient seasons, in consequence of which the bowel, becoming habituated to the presence of fecal matter, at length ceases to be excited into action.

GLYCERIN SUPPOSITORIES act by locally exciting the mucous membrane of the rectum, and are efficient only when entirely free from water.

In the manufacture of these Suppositories, our effort has been to incorporate the largest possible amount of a chemically pure glycerin. We have succeeded in incorporating 98 per cent. and are in a position to guarantee them to be non-irritating. They will be found admirable in those cases of constipation, temporary or chronic, resulting from torpor of the intestinal tract, more particularly of the colon.

Each Suppository is placed in a glass tube, corked at both ends and hermetically sealed, assuring cleanliness, absolute protection from heat and moisture, retention of shape, and freedom from any change whatever, until actually used.

They are presented in two sizes, an adult's size, 60 grains, and children's size, 30 grains.

Per dozen boxes, 12 suppositories in each box, either size	\$4.00
Per dozen boxes, 6 suppositories in each box, either size	2.35
Per box containing 100 suppositories, either size	2.55
Per dozen bottles of 1 dozen each, either size	2.65
Per dozen bottles of six each, either size	1.60

GLYCERIODINE

(TRADE NAME)

(Glyceritum Acidi Hydriodici, Wampole)

WILL KEEP INDEFINITELY WITHOUT FORMATION OF FREE IODINE

Each fluidounce contains:

Hydriodic Ac	id			 . 35.		 20,00	 •		7.1	gr.
Representing	Iodir	ıe.	. ÷.	. : :	~		 X.,		7.0	or.

USEFUL IN ALL AILMENTS AND CONDITIONS CALLING FOR THE ADMINISTRATION OF IODINE OR ITS SALTS.

This combination constitutes the most elegant and agreeable form of administering Iodine, which element is present in large proportion. Hydriodic Acid, as presented in the form of Syrup, is a very unstable compound, and it is important that that which is dispensed should be reasonably fresh and consequently without free Iodine which, if present, is likely to prove irritating. GLYCERIODINE will keep indefinitely.

GLYCERIODINE has been used with great advantage in enlargements and induration of the liver and spleen and is of especial value in the treatment of such hepatic affections, particularly when mercury is contraïndicated. It has been found useful in sub-acute and chronic bronchitis, malarial poisoning, chancroidal ulcers, tumors, and goitre and is considered especially serviceable in the treatment of scrofulous affections.

Dose:—One to four fluidrams in twice its bulk of water, three or four times daily.

Per dozen 16 oz. bottles.	 	 		 			 \$10.00
Per half gallon bottle	 	 		 	 		 . 3.65
Per gallon bottle	 	 	 	 			 . 6.60

GRANO-PEPTON

(TRADE NAME)

PREDIGESTED FOOD

READY FOR IMMEDIATE ASSIMILATION WITHOUT DIGESTIVE EFFORT

Grano-Pepton represents the equivalents of Lean Beef, Whole Wheat Grain, White of Egg, and Fresh Milk, digested with Pepsin and Diastase, and contains, to the extent of about 25%, the proteids, carbohydrates and salts obtainable from the above food products.

These predigested foods reach the absorbents of the digestive tract in precisely the same condition as in the case of the digestion of these foods by the healthy and normal juices of the stomach and pancreas.

Grano-Pepton is intended to temporarily replace the usual foods during severe illness, and under circumstances when solid foods cannot be properly digested, or when it is desired to reduce the amount of feces to a minimum, as in typhoid fever, and other bowel diseases, and after operations affecting the bowels.

DIRECTIONS FOR USE:—GRANO-PEPTON may be given mixed with water, coffee or tea, hot or cold. The dose for adults varies according to the condition of the patient, from a dessertspoonful to a tablespoonful every one or two hours; for children, according to age.

Per	dozen 16 oz. bottles.			 			٠.			 	\$ 1	0.	.0	D
Per	half gallon bottle	 	 	 						 		3.	. 6	5
Per	gallon bottle:		 ~								-	6	. 6	o

HEMOGEN

(TRADE NAME)

(Liquor Ferri et Mangani Peptonati, Wampole)

AN AROMATIC SOLUTION OF PEPTONIZED IRON AND MANGANESE

Hemogen contains in each fluidounce, in the form of soluble, readily assimilated, pepsinized albuminates, about one and three-quarter grains of metallic iron and about three-quarters of a grain of metallic manganese.

The value of a preparation of this character, presenting iron and manganese in an organic combination, a condition favorable to ready assimilation even in those cases of anemia and debility in which the digestive process partakes of the general loss of tone, is so apparent to all that it seems scarcely necessary to point to the excellent clinical results obtained from its consistent administration.

Indicated in anemia, chlorosis, scrofula, impoverished blood, general debility, convalescence, impaired digestion.

Dose:—For adults, a tablespoonful in water, milk or sweet wine, three or four times daily before or, if preferred, during meals and at bed-time; for children, according to age, a teaspoonful or more.

Per dozen 16 oz. bottles.	 			 	- 1				٠.,	 \$10.0	0
Per half gallon bottle	 			 				 ٠.		 3.6	5
Per gallon bottle				 						 6.6	0

HYDROGEN PEROXIDE

OZOGEN (TRADE NAME)

(Aqua Hydrogenii Dioxidi, Wampole)

CONTAINS 3 PER CENT. HYDROGEN PEROXIDE WITH A MINIMUM AMOUNT OF ACIDITY.

Ozogen is an aqueous solution of hydrogen peroxide prepared expressly for surgical and medicinal purposes, and is a powerful antiseptic, disinfectant and deodorant, absolutely harmless for external and internal use.

It owes its value as an antiseptic and disinfectant to the fact that as soon as it is brought into contact with non-living animal tissues, it is decomposed with the liberation of free oxygen, which reacts upon the tissues, oxidizing them and thus changing their chemical nature.

It is a powerful detergent, antiseptic, disinfectant, antizymotic and germicide, suitable for either internal or external use, thus differing from the many other articles used as germicides, such as Bichloride of Mercury and Carbolic Acid, which can be used externally only; moreover Hydrogen Peroxide has no corrosive action.

Hydrogen Peroxide is absolutely non-poisonous to the human being; hence it may be used with perfect safety either as an internal remedy or externally as an application for wounds, ulcerated surfaces or inflamed mucous membranes.

When used in the atomizer or as a gargle, the full strength is usually employed, excepting where it causes smarting or burning, when it should be diluted at least one-half. Owing to the oxidation of metals when brought into contact with it, the atomizer should be one possessing hard rubber attachments (tubes, nozzles, etc.).

In doses of from one teaspoonful to a tablespoonful in a halfglass of water, it is an effective remedy for dyspepsia, water-brash, belching, flatulence, fermentation in the stomach and intestines, and certain forms of diarrhea. The dose should be repeated three or four times daily, or as required.

Per	dozen	4-oz. bottles	 	 	 							\$1	.7	5
Per	dozen	8-oz. bottles	 	 	 		 1				. :	3	.0	0
Per	dozen	16-oz. bottles.	 	 	 						. 1	4	. 5	0

HYPNO-BROMIC COMPOUND

(TRADE NAME)

(Liquor Chloralis Compositus, Wampole)

HYPNOTIC SEDATIVE

Each fluidounce contains:

Chloral Hydrate96	QT.
Morphine Sulphate	27.
Cannabis Indica Extract	gr.
Hyoscyamus Extract.	er.
Potassium Bromide	gr.

INDICATIONS:—Sleeplessness, functional nervous disorders, spasms, epilepsy, acute (and all other forms of) mania, neuralgia and allied affections, hysteria and other ailments

requiring a reliable hypnotic in their treatment.

When the patient is restless and cannot sleep, and when this is due to functional over-excitement of the brain, caused by excessive mental strain, anxiety or other mental troubles, HYPNO-BROMIC COMPOUND will be found a most reliable hypnotic. The more purely nervous the wakefulness is, the more successful are the results obtained.

Sleeplessness occurring during convalescence from acute disease, is most successfully treated by this combination.

Invaluable for controlling the extreme nervousness bor-

dering on delirium due to alcoholic excess.

As an argument in favor of combining these well-known remedies, it will be noted that the sleep produced when using Hypno-Bromic Compound does not resemble a stupor, but is natural and refreshing, and is not a condition of narcotism. The patient may be easily aroused to take any necessary nourishment and will quickly and without trouble fall asleep again.

Dose:—From one-half to one fluidram, in water or syrup, this dose to be repeated at intervals, until the desired result is obtained. As the proportions and quality of the different ingredients never vary, the physician himself can best determine the amount necessary to be given to fulfil the requirements of each individual case, and also the frequency which such amount can safely be used.

Per dozen 4 oz. bottles	.\$12.00
Per dozen 8 oz. bottles	. 23.00
Per dozen 16 oz. bottles	
Per half gallon bottle	. 16.00

ICHTHY-TANNIC SUPPOSITORIES

(TRADE NAME)

(Suppos. Ichthyolis et Acidi Tannici Comp. Wampole)
(RECTAL)

ALTERATIVE

ASTRINGENT

ANODYNE

Each suppository contains:

Jchthyol							-17	$2\frac{1}{2}$	gr.
Tannic Acid	 				i			1	gr.
Opium Powdered	 	<i>j</i>	÷				۹.	1	gr.
Belladonna Extract.	 			(9) = 6	weter.		ęt.	1	gr.
Stramonium Extract	 	16 0° 9	٠.,٠	ورداء			7	1	gr.
Hyoscyamus Extract						٠,:	A.	- 1	gr.
Witch Hazel Extract								$\frac{1}{2}$	gr.
Phenol	 							1 8	gr.

ICHTHYOL, it seems from clinical experience, has little, if any, general action, but peculiar alterative properties are ascribed to it and extraordinary results have been claimed from its use as a local alterative and anodyne. In ICHTHYTANNIC SUPPOSITORIES it is combined with Tannic Acid and other astringents and with well-known and appreciated anodyne, sedative and antiseptic constituents.

ICHTHY-TANNIC SUPPOSITORIES should have a wide field of usefulness in the treatment of rectal mal-conditions. They will be found especially useful in hemorrhoidal cases in which their pronounced anodyne and astringent properties will be manifested with surprisingly gratifying results.

Put up in boxes of twelve and twenty-four suppositories, each suppository weighing twenty-five grains.

Per	dozen boxes, each containing 24 suppositories	\$8.00
Per	dozen boxes, each containing 12 suppositories	4.00
Per	box of 100 suppositories	2.50

LIQUID FERROSE

(TRADE NAME)

(Liquor Ferri Albuminati, Wampole)

WILL NOT BLACKEN THE TEETH, DISTURB DIGESTION OR CAUSE CONSTIPATION.

RAPIDLY INCREASES THE NUMBER OF RED BLOOD CORPUSCLES

LIQUID FERROSE CONTAINS A SYNTHETIC COMPOUND OF IRON IN A CHEMICAL COMBINATION APPROXIMATING THAT OF IRON IN THE BLOOD. EACH TABLESPOONFUL CONTAINS THE EQUIVALENT OF ONE GRAIN OF IRON.

LIQUID FERROSE is a definite compound of iron that exerts no effect on the gastric mucous membrane or digestive fluids, and is not soluble in the acid juices of the stomach, but is entirely soluble in the alkaline pancreatic, biliary and intestinal secretions, as well as readily assimilable in the intestines. It does not precipitate albumin, pepsin, or albumoses, and is entirely free from astringent action upon the

mucous membrane of the stomach or intestines.

LIQUID FERROSE is particularly valuable in the treatment of those patients whose daily life is conducive not only to anemia, but also to lessened power of digestion or assimilation. or in the treatment of those patients in whom anemia exists without apparent cause, accompanied by nervousness, rapidity and irregularity of the heart's action, breathlessness. vertigo, indigestion, weakness and lack of energy. In these cases iron is needed by the impoverished blood and poorly nourished tissues; but the administration of iron in an inorganic form is often followed by a great disturbance of the digestive process, and a consequent augmentation of the already depressing symptoms. It is in these cases that LIQUID FERROSE, on account of its presenting iron to the absorbents of the intestinal canal in exactly the same condition in which it exists in the iron-bearing food, causes rapid increase of hemoglobin and of the number of red blood corpuscles.

Dose:—For adults, a dessertspoonful four times daily, preferably before each meal and before retiring; for children,

one or two teaspoonfuls.

		м								
Per	dozen 16 oz. bottles.									\$10.00
Per	half gallon bottle			 		 			 	3.65
Per	gallon bottle			 	΄.		 		 	6.60

LYOLITH TABLETS

(TRADE NAME)

(Tabella Lyolitha, Wampole)
GALL STONE REMEDY

Each Tablet contains:

. Dati addict contains.	
Potassium Salicylate	gr.
Potassium Citrate	gr.
Sodium Glyco and Tauro-cholate 1\frac{1}{2} s	er.
Sodium Oleate	er.
Phenolphthalein	or.
Menthol	

INCREASES THE FLOW OF HEALTHY BILE AND THE EXCRE-TION OF NITROGENOUS WASTE MATTER

LYOLITH has been specially devised for patients suffering from Gall Stones. Its name (Greek, lithos, a stone; lyo, to loose or dissolve) suggests its therapeutic indication. It accomplishes its purpose, not by a direct solvent action upon the concretions, but by disinfecting and stimulating the biliary secretions and rendering them more fluid, healthy bile being

the best solvent of Gall Stones.

For this reason it is the most useful preparation in all forms of Cholecystitis and inflammations of the biliary passages, the backward congestion and flatulence being reduced by the freer flow of the bile. It is well known that calculous disorders and hepatic derangements are most common in patients of gouty habit, and in LYOLITH the needs of such patients have received full therapeutic recognition. It is a much ignored physiological fact that the potassium salts increase the excretion of nitrogenous waste matter, and they are advisedly used in this tablet.

are advisedly used in this tablet.

In cases of gouty headache, LYOLITH will be found beneficial when given at bedtime with hot water, and followed in the morning by a glass of effervescing sodium sulphate or

sodium citro-tartrate.

It should be remembered that as these are chronic conditions, they require a prolonged course of persevering treatment. Diseases of this nature which have taken years to develop may demand months of patient adherence to the above medication with strict attention to the special diet which the medical profession prescribes in such cases.

LYOLITH tablets are best taken at bedtime and on rising, or after each meal, one or two as may be prescribed by the

physician, followed by a large glass of hot water.

2.0	CIUDA	9	
Per dozen bottles of 40 table	ts		 \$3.00
Per dozen bottles of 80 table	ts		 6.00
Per bottle of 500 tablets			 2.25
Per bottle of 1,000 tablets			 4.25

METHYL-GUAIACOL

(TRADE NAME)

RHEUMATIC OINTMENT.

(Unguentum Guaiacolis Compositum, Wampole)

ANTI-RHEUMATIC, ANESTHETIC, ANTI-PYRETIC AND ANODYNE

FOR ALL LOCAL OR DEEP-SEATED PAINS AND SWELLINGS

Wampole's METHYL-GUAIACOL is submitted to the medical profession as a local application of established merit in the treatment of Acute and Sub-Acute, Articular and Muscular Rheumatism, Lumbago, Sciatica, Neuralgia, Ovarian Neuralgia, Tonsillitis, and the many vague pains dependant upon a rheumatic or gouty diathesis.

It owes its marked anesthetic and analgesic value to the action of Guaiacol and Methyl Salicylate which have been combined in the proportions best calculated to secure their

fullest local effect.

METHYL-GUAIACOL when applied to the skin is rapidly absorbed, reducing fever, and affording prompt relief in the deep-seated nerve pain, in inflammation of the joints, as well

as in superficial neuralgias and migraine.

DIRECTIONS:—Apply a small quantity about the size of a bean, covering with impervious paper or oiled silk, as a medium for spreading the ointment and preventing volatilization, securing it in position by a light bandage. Its action is very prompt, the initial feeling of warmth being followed by immediate relief from pain in the part affected. Applied in this manner it will sometimes cause a slight blister, which will appeal to the physician as a desirable feature rather than otherwise. Used as a liniment, rubbing it thoroughly and allowing free access of air, the tendency to blister will be entirely eliminated. The surface should be washed with warm water following the third application.

PRICES	
Per dozen collapsible tubes	\$4.25
Per dozen one ounce jars	5.75
Per one pound jar	5.75

MILK OF MAGNESIA OR HYDRATE OF MAGNESIA

(Magma Magnesiae, Wampole)

ANTACID

LAXATIVE

Each fluidounce represents about twenty-four grains Magnesium Hydrate suspended in water.

The Magnesium Hydrate in this preparation is in the form of an exceedingly fine amorphous precipitate, almost insoluble in water, but readily soluble in acids, even when very dilute.

Useful in the treatment of dyspepsia, heartburn, sick headache, intestinal indigestion, flatulent colic of infants, gout and other complaints attended with hyperacidity and constipation.

Locally, for burns and scalds, it may be applied freely. As a tooth preservative, to neutralize acid oral secretions, the mouth should be thoroughly rinsed night and morning, using about a teaspoonful, undiluted.

In cutaneous inflammations, either superficial or deepseated, due to accumulation of uric acid in the system, Milk of Magnesia will be found a positive remedy.

Dose:—As an antacid or laxative, from a teaspoonful to a tablespoonful, according to age and effect desired. For children, 15 to 30 drops may be given in milk. It may be administered plain, or mixed with water, milk or other food. When used as a laxative, its effect will be more decided if followed within a half hour by lemon juice or other acidulous drink, which may be sweetened.

1111025				
Per dozen six-ounce bottles	 	 	 	 \$1.50
Per dozen sixteen-ounce bottles	 	 	 	 3.50
Per one-half gallon bottle	 	 	 	 1.50
Per gallon bottle.				2 65

NASAL TABLETS

(TRADE NAME)

(Tabella Antiseptica Alkalina, Wampole)

ANTISEPTIC SOOTHING

Each tablet contains:

Sodium Bicarbonate	3% gr.
Sodium Borate	3 ³ gr.
Sodium Chloride	33 gr.
Sodium Phenolsulphonate	33 gr.
Oil Cinnamon	1 min.

FOR CORYZA AND CATARRHAL CONDITIONS OF THE MUCOUS MEMBRANE

The special characteristic of this combination is its bland and soothing effect on the nasal membranes. It is entirely devoid of irritation if the solution is made of the strength directed.

Its immediate effect is to clear the nostrils of accumulated secretion, and thereby relieve the feeling of congestion experienced in incipient "cold in the head." The acrid secretion is neutralized and made alkaline, thereby destroying its irritating character and effect.

The solution, used regularly, will quickly restore the inflamed mucous membrane to a normal condition. This treatment is entirely local and usually should be supplemented by

suitable internal medication.

To thoroughly cleanse the mucous membrane without pain or irritation, preparatory to other local applications, or to surgical operations; as a gargle in cases of simple sore throat, or as a preventive of infectious throat troubles; as a mouth wash for sore gums, thrush, ulcers of the mouth, etc., and to neutralize acid secretions affecting the teeth, these tablets will be found exceedingly valuable.

DIRECTIONS:—Dissolve one tablet in one ounce (two tablespoonfuls) lukewarm water, and either spray up each nostril by means of an atomizer, or inspire the solution from the palm of the hand. The latter method is very convenient, easy and thorough. Allow the liquid to go up each nostril far enough to fall into the back part of the mouth, whence it may be ejected. This should be repeated every hour or two,

until the acute inflammation subsides.

Per dozen screw-cap bottles of 50 tablets	
Per bottle of 500 tablets	
Per 1,000 tablets	3.00

OBTUNDENT

(TRADE NAME)

(Liquor Cocinæ Compositus, Wampole)

FOR THE PAINLESS EXTRACTION OF TEETH WITH ABSOLUTE SAFETY

Composition:

Cocaine Hydrochloride	
Spirit Glyceryl Trinitrate (U.S.P.)	10 min.
Formolid (Wampole)	
Distilled Water (sterilized), q.s., ad	

A STERILIZED ASEPTIC SOLUTION WHICH WILL NOT DE-TERIORATE WITH AGE, AND IS ALWAYS READY FOR INSTANT USE.

This preparation is made from a formula originated by Dr. W. T. Wyckhoff, D.D.S., of Philadelphia, U.S.A., who has used it in his practice for over ten years, with uniformly excellent results. It has also been used very largely by Dentists both in the United States and Canada, and when directions were carefully followed, from one to twenty teeth have been extracted at a sitting, without pain, exhaustion or nervous shock.

Wampole's Obtundent is a well balanced solution of cocaine, which can be used with safety, and teeth extracted absolutely without pain, where nitrous oxide gas or other

anesthetics would be unsafe or undesirable.

As a matter of precaution in unusually susceptible cases we would suggest that the operator have near at hand one or more of the recognized cocaine antidotes, amyl nitrite and ammonia water for inhalation; whiskey and aromatic spirits of ammonia for internal use; caffeine and morphine for hypodermic use. The alcoholic stimulant will usually be all that is necessary.

DIRECTIONS:—Needles MUST BE CLEAN, with short, sharp point, and the syringe free from air. Dry the tissue, apply locally, then inject gradually, following the whitened anesthetized tissue and inject on all sides from neck to apex of tooth. Extraction can be made in ONE or TWO MINUTES. If several are to be taken out, by the time four or five are

injected the first will be ready to extract.

Per 1 oz. bottle	
Per dozen 1 oz. bottles	
Per 4 oz. bottle	
Per 16 oz. bottle	6.25

PANCROPATIC TABLETS

(TRADE NAME)

(Tabellæ Pancreatini Compositæ, Wampole)

INTESTINAL DIGESTANT. HEPATIC STIMULANT.

Each tablet contains:

Pancreatin	10 75 45	1	A A A A A	. L. 250.	24 gr.
Hydrastis / .					
Nux Vomica E					
Phenyl Salicyla					
Sodium Bicarbo					

FOR THE TREATMENT OF FERMENTATIVE DYSPEPSIA AND INTESTINAL CATARRH.

In Pancropatic Tablets an effort has been made to supply an intestinal digestive that will be active in the intestinal tract. Of prime importance for this purpose is pancreatin, and to introduce it unchanged beyond the pylorus, with its amylolytic and steaptic values unimpaired, the tablets have been so prepared as to be insoluble in the stomachic juices yet readily soluble in the alkaline secretions delivered to the duodenum, the alkalinity of which is slightly increased by the addition of sodium bicarbonate.

In most cases of intestinal indigestion, particularly those of long standing, there is reason to suspect relaxation of the muscular coat of the bowel in the treatment of which Nux

Vomica seems to be of recognized value.

Of Hydrastis the U. S. Dispensatory says: "it is probable that in gastric diseases attended by hepatic congestion and lack of functional activity it exerts an almost specific influence." Phenyl Salicylate (Salol) is broken up by the pancreatic juice, liberating about 36% of phenol, making it of considerable value as an internal antiseptic in the treatment of fermentative dyspepsia.

Dose:-One or two tablets after each meal.

Per dozen boxes, each containing 25 tablets	\$2.35
Per dozen bottles, each containing 100 tablets	9.00
Per bottle of 500 tablets	3.50
Per 1,000 tablets	6.70

PAPAIN DIGESTANT

(TRADE NAME)

(Elixir Papaini Compositum, Wampole)

A POWERFUL DIGESTANT AND NERVE RESTORER

Each fluidram contains:

Papaya Ext. (Papain)	1 gr.
Pepsin (1: 3000)	1 gr.
Diastase	i gr.
Calcium Glycerophosphate	
Sodium Glycerophosphate	
Pineapple Juice (fresh concentrated)	q.s.

PAPAIN DIGESTANT will be found of great value, when for any reason the digestive organs are not capable of properly performing their functions, but its usefulness is not alone due to its ability to prepare a certain quantity of food for expiritation.

for assimilation.

The need of such assistance to the normal function is due most frequently to a loss of tone of the secreting organ in particular or of the whole system in general. To meet this condition is the aim of the physician. While temporarily assisting in the work of obtaining nourishment from ingested food, the aim primarily is to assist the organs to properly perform their functions.

In Papain Digestant we have combined a powerful digestive activity with the well-recognized tonic effects of the Glycerophosphates of Lime and Soda, which are not merely nerve stimulants, but actual organic foods to the nerve

rissue

PAPAIN DIGESTANT, therefore, is indicated in acute or chronic dyspepsia, gastric catarrh or atony, and wherever there is a failure, either temporary or prolonged, of the gastric

secretions.

Dose:—For adults, a teaspoonful to a tablespoonful after meals, or when needed; for children, according to age, from one-half to one teaspoonful.

Per dozen 16 oz. bottles.	 		 	 	 			.\$10.00
Per half gallon bottle	 	٠.	 	 	 			. 3.65
Per gallon bottle	 		 	 	 			. 6.60

PAP-KEN

(TRADE NAME)

(Tabellæ Papaini Compositæ, Wampole) GENERAL DIGESTANT OF ALL FOODS

Each tablet contains:

Papaya Ext. (Papain)	gr.
Pepsin	gr.
Charcoal	gr.
Sodium Bicarbonate	gr.
Oil Gaultheria	

AIDS DIGESTION, PREVENTS FERMENTATION

PAP-KEN is a perfect digestant and stimulant tonic to the digestive functions. It increases and renders normal the secretions of the stomach and intestines, stimulates the secretion of pepsin, diminishes any excess of hydrochloric acid, and thereby promotes digestion and aids the proper preparation of food for perfect assimilation.

In acid dyspepsia, flatulency, gastric catarrh, or fermentation, whether occuring in the stomach or bowels, this preparation will give immediate relief and effect a permanent

cure.

In dilation of the stomach and atony of its walls the administration of PAP-KEN will prove of decided benefit, the improvement often being so great that washing out of the organ, where previously advisable, becomes unnecessary.
In irritable stomach it acts as a sedative of this organ,

and in gastric cancer or simple ulcer it allays irritability and

promotes healing.

When diarrhea is caused by the presence of undigested food in the intestinal tract, immediate relief follows the use of PAP-KEN, rendering it a remedy of great value in this class of diarrheas in children and in some forms of enterocolitis, also among that class of patients by whom starch and fats are imperfectly digested.

Dose:-One or two tablets, taken after meals, dissolved in a half glass of hot water.

Per dozen boxes of 50 tablets	\$2.25
Per dozen bottles of 100 tablets	4.50
Per bottle of 500 tablets	
Per bottle of 1,000 tablets	3.25

PARAFORMIC THROAT LOZENGES

(TRADE NAME)

The introduction of paraformaldehyde into medical practice marks a new era in the antiseptic treatment of diseases and affections of the mouth and throat. No chemical compound has hitherto been successfully employed which possessed sufficient germicidal power to destroy pernicious germs and at the same time produce no marked constitutional disturbance.

Paraformic Throat Lozenges are composed of:

Paraformaldehy	yde	Autority	والمراف والمراف	Acres.	Sa. 18	⅓ gr.
Menthol						
Boric Acid						I gr.

In all septic conditions of the mouth and throat these lozenges will be found markedly beneficial, when dissolved slowly in the mouth the fluids become impregnated with a highly antiseptic combination destructive to pernicious germs.

TONSILLITIS in its earlier stages rapidly subsides and where more pronounced is much alleviated by using one every hour.

Sore Throat with or without septic accompaniment and pain in swallowing is speedily relieved without having recourse to swabbing, etc.

CHRONIC PHARYNGITIS OF THROAT CATARRH may be effectively treated by allowing one lozenge to dissolve slowly in the mouth every half hour or hour according to the severity of the symptoms.

As a preventative of Sore and Inflamed Throat, to obviate risk of infection during scarlet fever epidemics and where diphtheria is prevalent these lozenges are most effective, keeping the mouth in an aseptic condition—their palatability and convenience rendering them a valuable aid to the physician and public alike.

Put up in display containers holding one dozen screwcap bottles, each containing forty lozenges. Retail price per bottle, twenty-five cents.

Per	display	container,	holding 12	bottles	 	 	\$1.75
Per	bottle o	f 500 lozer	iges				1.50

PEPTO-IRON TONIC

(TRADE NAME)

(Pilulæ Ferri Peptonati Compositæ, Wampole)
PEPTONIZED MANGANESE AND IRON WITH
TONICS AND DIGESTIVES

Each pill contains:

Peptonized Iron	gr.
Peptonized Manganese	gr.
Blaud Mass	gr.
Nux Vomica Extract	gr.
Gentian Extract	gr.
Pepsin (1:3000)	gr.
Diastase	gr.

AN ORGANIC COMBINATION OF IRON AND MANGANESE WHICH DIRECTLY INCREASES THE NUMBER OF RED CORPUSCIES OF THE BLOOD

Peptonized Iron is a combination of iron with beef peptone. It is neutral, ready assimilable, does not affect the teeth nor disturb digestion, and its efficacy in anemic conditions has been abundantly demonstrated.

Peptonized Manganese is a combination of manganese with beef peptone, and is very much superior in the positive medicinal results obtained, to the ordinary inorganic combinations of the metal. The need of a sufficient quantity of manganese in rich, healthy blood has been well established, and in the form in which we present it, assimilation is readily effected.

PEPSIN AND DIASTASE. It is almost invariably the case that where iron and other tonic treatment is indicated, the condition is associated with weakened digestive power, and aid in the digestion of nitrogenous and starchy food as afforded by Pepsin and Diastase, would seem to be urgently needed.

PEPTO-IRON TONIC PILLS are particularly indicated in anemia, chlorosis, scrofula, impoverished blood, general debility, etc., and are valuable in all conditions demanding an iron tonic.

Dose:—For adults, one or two pills after each meal and at bed-time, with plenty of water; for children, one pill, two or three times a day.

Per dozen bottles of 50 pills	\$2.00
Per dozen bottles, each containing 100 pills	
Per bottle of 500 pills	
Per bottle of 1,000 pills	2.85

PHOSPHO-LECITHIN

(TRADE NAME)

(Elixir Lecithinæ Compositum, Wampole)

A TRUE NERVE FOOD AND TONIC

Each dessertspoonful contains:

Sodium Glycerophosphate 2	gr.
Calcium Glycerophosphate 1	
Potassium Glycerophosphate	
Strychnine Glycerophosphate250	
Avenine.	

A RECONSTRUCTIVE TONIC AND PROTOPLASMIC REGENERATOR OF NERVE TISSUE.

The Glycerophosphates and Lecithin are not merely nerve stimulants, but act as actual organic foods for nerve tissue, giving to the system just those elements needed to build up and restore the nervous organization to its normal condition.

PHOSPHO-LECITHIN contains the elements which form the base of all nerve structure, the Glycerophosphates and Lecithin, and is therefore a true nerve food and tonic in all cases where the nervous structure has been weakened by anxiety, overwork or excesses of any kind. It builds up the nerve tissue, adds to its tone and proves a great value in supporting the system when exposed to severe and prolonged bodily or mental strain.

Phospho-Lecithin is indicated in nervous prostration, nerve exhaustion, nervous debility, nervous excitement, hysteria, insomnia, and in all depressed conditions of the nervous system.

Dose:—For adults, one or two teaspoonfuls four times daily, taken preferably before meals and before retiring; for children, according to age, from a half-teaspoonful to a dessertspoonful.

Per	dozen 16 oz. bottles.	 	 	 			 	 	9	10.00
Per	half gallon bottle	 	 	 	٠.			 :		3.65
Per	gallon bottle	 	 	 	Ι.			 		6.60

PILL NEPHRITIC

(TRADE NAME)

(Pilulæ Nephriticæ, Wampole)

AN EFFECTIVE DIURETIC AND DIAPHORETIC

Each pill contains:

Asparagus Seed Ext. A.	gr.
Buchu Ext.	gr.
Digitalis Ext.	gr.
Podophyllum Resin.	gr.
Potassium Nitrate.	gr.
Oil of Juniper.	min.
Apiol	min.

EFFECTIVE IN PAINFUL URINATION AND UREMIC CONDITIONS

NEPHRITIC PILLS give immediate relief in congestion of the kidneys, chronic Bright's disease, cystitis and inflammatory conditions of the genito-urinary tract. They increase the flow of urine and act as a diaphoretic without depressing after-effects, exerting, on the contrary, a stimulating action upon the heart and blood yessels.

They act as an ideal diuretic by increasing ventricular contraction, raising the arterial tension and the blood pressure in the glomeruli, and, at the same time, hastening the renal circulation, augmenting its volume by strengthening cardiac contractions and dilating the afferent renal vessels.

These properties make this formula very effective in dropsy due to renal and cardiac affections.

NEPHRITIC PILLS are well tolerated by the stomach, exerting a sedative action upon the mucous membrane of the urinary passages, lessening irritability and spasm, and proving of exceptional value in the treatment of incontinence of urine.

Dose:—One to three pills every three or four hours as indicated.

Per dozer	bottles of 100 pills	\$4.00
Per bottle	e of 500 pills	1.50
	of 1,000 pills	

RENALTONE

(TRADE NAME)

DIURETIC COMPOUND.

(Elixir Diureticum Compositum, Wampole)

PREVENTS FORMATION OF URINARY CALCULI.

Each -dessertspoonful contains:

Hexamethylenamin	e	 	2 gr.
Lithium Benzo-Citr	ate	 	1 gr.
Buchu			
Digitalis			
Triticum		 	2 gr.
Oil of Juniper			1 gr.
To an allestine made	4 - 1 - 2 - 2 - 2	a de la seguidad	3 111111.

INCREASES THE FLOW OF URINE, CAUSES ELIMINATION OF DROPSICAL DEPOSITS, RELIEVES PAIN AND ALLAYS SPASM AND INFLAMMATION OF THE GENITO-URINARY CANAL.

RENALTONE is an uric acid solvent, and through the action of the Hexamethylenamine, exerts an astringent and antiseptic action upon the lining membrane of the bladder and urethra in the process of excretion.

RENALTONE is an active diuretic, its contained principles not only stimulating the circulation in the kidneys, thus supplying these organs with a continued supply of blood in a sufficient quantity, but also exciting the activity of the renal cells themselves.

RENALTONE is palatable and will not derange digestion, and containing no sugar, it is not contraindicated in diabetes mellitus, having, on the contrary, a very favorable effect on

that malady.

In cases of pus formation in Cystitis, Benzoic Acid should be added to RENALTONE in the proportion of about sixteen grains to the fluidounce, in order to produce a slight acid condition. With this addition, RENALTONE will be found very effective in relieving such cases.

Dose:—For adults, one dessertspoonful in a wineglassful of water three or four times daily as indicated; for children,

according to age, one-half to one teaspoonful.

Per dozen 16 oz. bottles.				 	 	 		.\$10.00
Per half gallon bottle					 	 	 	3.65
Per gallon bottle	 		 	 	 ٠.	 ٠.		6.60

SANGUINARIA COMPOUND

(TRADE NAME)

(Syrupus Sanguinariæ Compositus, Wampole)

EXPECTORANT

DIURETIC

DIAPHORETIC

Each fluidounce contains:

Sanguinaria Fluidext	
Ammonium Chloride	16 gr.
Codeine Sulphate	gr.
Syrup Senega	
Syrup Wild Cherry	40 min.
Syrup Ipecac Menthol. Glycerin.	16 min.
Wienthol.	Too gr.
Glycerin	ou min.

LIQUIFIES THICK AND TENACIOUS BRONCHIAL SE-CRETIONS AND AIDS IN THEIR EXPULSION

Sanguinaria Compound is indicated in all forms of coughs or colds in either the acute or chronic stage, or in catarrhal inflammations of the respiratory tract.

Its action upon the respiratory mucous membrane coupled with its stimulant effect upon the kidneys, skin, liver and intestinal secretions, renders it invaluable in preventing or aborting an attack of bronchitis or pneumonia following exposure.

In asthma, whooping cough, croup and all coughs of a spasmodic nature, this preparation will be found very efficient.

In general catarrhal conditions of the air passages, associated with atonic dyspepsia and gastric or duodenal catarrh, Sanguinaria Compound will exert a tonic influence on the diseased mucous membranes, and promote the return of normal secretions.

Dose:—For adults, one or two teaspoonfuls three or four times a day; for children, according to age, from ten drops to one teaspoonful.

Per dozen 16 oz. bottles.	 .\$10.00
Per gallon bottle	6.60

SODIUM GLYCOCHOLATE COMP.

(TRADE NAME)

(Tabella Sodii Glycocholatis Composita, Wampole)

GALL STONE PROPHYLACTIC.

Each tablet contains:

Sodium Succinate	1 gr	
Sodium Salicylate Strategy and Strategy and Solid Soli		
Sodium Glyco- and Tauro-cholate	1½ gr	
Phonolophthalain	1 ore	

INHIBITS THE FORMATION OF GALL STONES AND PRO-MOTES_THE SOLUTION OF ANY THAT MAY HAVE FORMED

Cholesterin is the base of most of the gall stones found in man, this compound constituting according to Hoppe Seyler 0.35 and to Frerichs 0.26 parts in 100 of bile. It is soluble in solutions of the bile salts and is precipitated from the bile when there is a deficiency of these salts or when the bile is lacking in watery constituent. It is due to this precipitation and at times to the presence of bacteria, that gall stones are formed.

SODIUM GLYCOCHOLATE COMP. in addition to Glycocholate of Soda, which is apparently the most valuable of the bile salts, contains other bile salts which, acting directly on the liver, cause an increase in the watery elements of the hepatic excretion and at the same time retard the growth of micro-organisms in that fluid.

Sodium Succinate has been found a most useful drug in habitual hepatic congestion. It increases the watery components of the bile and is also of value in lessening spasm.

Sodium Salicylate has a pronounced cholagogue effect, as well as increases the watery part of the bile. In its elim-

ination with this fluid it acts as an antiseptic.

Dose:—Where gall stones exist, two or three tablets should be taken three times daily after meals; when the deposits have been dissolved or expelled, the treatment should be continued for some time, the patient taking one or two tablets three or four times daily.

	2212020	
Per dozen	bottles of 75 tablets	\$6.00
Per bottle	of 500 tablets	3.00
Per bottle	of 1.000 tablets	5.70

SYRUP HYPOPHOSPHITES COMPOUND

(TRADE NAME)

(Syrupus Hypophosphitum Compositus, Wampole)

RECONSTRUCTIVE NERVE TONIC

Each fluidram contains:

Calcium Hypophosphite	gr.
Sodium Hypophosphite	gr.
Potassium Hypophosphite	gr.
Iron Hypophosphite	
Manganese Hypophosphite	gr.
Quinine Hypophosphite	gr.
Strychnine Hypophosphite.	gr.
Glycerin.	1.S.

STIMULATES THE APPETITE AND PRODUCES A SUSTAINED TONIC EFFECT

SYRUP OF HYPOPHOSPHITES COMPOUND (Wampole) has a heavy, pleasant, bitter taste, and deposits a floculent precipitate when left standing for some little time. The precipitate, aside from its being the most assimilable form of one of the important ingredients, will serve to render this preparation distinct from the many now offered for sale under the name of Syrup of Hypophosphites. It will not blacken the teeth or disarrange the stomach, but can be taken readily by the most sensitive or fastidious person.

This combination so long and favorably known to physicians and pharmacists as one without equal in the treatment of phthisis, bronchitis, anemia and general debility, should not be confused with the Syrup of Hypophosphites Compound U.S.P., from which preparation it differs materially in the proportions of its several constituents.

Dose:—For adults, one or two teaspoonfuls before meals; for children, according to age, from one-fourth to one teaspoonful.

Per	dozen 16 oz. bottles	\$10.00
	half gallon bottle	
Per	gallon bottle	6.60

THYMIODIDE

(TRADE NAME)

(Pulvis Thymolis et Bismuthi Iodidi, Wampole)

A NON-TOXIC SURGICAL POWDER SUCCEDANEUM FOR IODOFORM

Formula:

Thymol Iodide	2 parts.
Bismuth Oxyiodide	1 part.
Boric Acid	1 part

AN ANTISEPTIC SURGICAL DRESSING FREE FROM UN-PLEASANT ODOR, AND AS EFFECTIVE AS IODOFORM

THYMIODIDE occurs as a salmon-colored amorphous powder, only partly soluble in water, glycerin, alcohol or ether.

THYMIODIDE is a new surgical powder, superior to Iodoform, indicated as a dressing in all wounds and ulcerative conditions where Iodoform is applicable, and entirely free

from its dangers and disagreeable odor.

THYMIODIDE adheres readily to the skin, and is therefore well adapted for use as a dusting powder in all ulcerative conditions, in the treatment of bed-sores, burns, etc. It is a safe, most effective and most agreeable surgical dressing for the treatment of such conditions, being absolutely non-toxic and non-irritant.

Thymiodide in lupous ulcers, open buboes, and scrofuloderm, where ulceration exists, gives excellent results. Where ulceration does not exist, the sharp spoon or Pacquelin's Cautery may be used to form an artificial ulcer, as Thymiodide has no corrosive power, and is not capable of destroying or penetrating an intact cuticle. As a local application to the ulcers of secondary, tertiary, congenital, or the large moist papules of hereditary or acquired syphilis, Thymiodide will be found a superior remedy.

DIRECTIONS: Dust freely on wounds. Application and

uses same as Iodoform.

Per dozen ounce bottles,	 \$13.75
Per 4 ounce bottle	 3.80

TONGA-SALICYL

(TRADE NAME)

(Elixir Tongæ Compositum, Wampole)

ANTI-RHEUMATIC

Each fluidounce contains:

Tonga		20 gr.
Sodium Salicylate		40 gr.
Lithium Bonzooto	en rendrigt der gjelet f	8 gr.
Wine Colchicum Seed		40 min

RELIEVES NEURALGIA AND ALL DISEASES OF RHEUMATIC ORIGIN

A safe and efficient preparation, free from disagreeable or depressant effects, and combining the strength of the so-called specific remedies with the agreeable properties of the alkaline treatment.

Indicated in acute and chronic articular rheumatism, muscular rheumatism, gout and ailments often dependent upon a rheumatic origin, as neuralgia, lumbago, sciatica, gastro-intestinal disorders and catarrhal conditions of the urinary organs.

Tonga-Salicyl relieves rheumatic throat affections, tonsillitis, facial neuralgia, ovarian neuralgia and all diseases dependent upon a uric acid diathesis.

Dose:—In acute attacks, a teaspoonful diluted in water every three or four hours. In chronic rheumatism or ailments of a rheumatic origin, one teaspoonful three times daily after meals.

Per dozen 16 oz. bottles.		 		 			 ١.,	 . \$1	13.75
Per half gallon bottle		 		 	 			 	5.10
Per gallon bottle		 		 			 ١.,		9.00

WAMPOLE'S TASTELESS PREPARATION OF THE

EXTRACT OF COD LIVER OIL

Just what it was that gave cod-liver oil its peculiar virtue was not definitely known until 1888, when a scientific analysis of various oils was made by Armand Gautier, Professor of the Faculty of Medicine, Paris.

Professor L. Mourgues assisted Dr. Gautier in his researches and their joint report settled beyond dispute that the alkaloids contained in raw cod-liver oil give to it its medicinal properties.

Speaking of these trials, Dr. Gautier says: "Our experiments have demonstrated that these alkaloids, separated from the rest of the oil, act directly and powerfully upon the nerve centres which preside over nutrition and provoke a denutrition and a rapid assimilation correlative to the waste, even when these bases are introduced into the economy by the hypodermic method."

Having determined their action upon animals those alkaloids were submitted to Dr. M. J. Bouillot for clinical study. He found that their administration augmented the volume of urine and also increased the total quantity of urea. Their intense bitterness increased appetite and at the same time had a tonic effect upon the nervous system.

It was the conclusion of Dr. Bouillot that "the alkaloids of the oil of the liver of the cod ought to become precious medicaments in human therapeutics."

LATIN SYNONYMS

Please Specify "Wampole."

Alvinine Suppositories	.Suppositoria Alvinina							
	Suppos. Boroglyceridi Composita.							
Antiseptic Ichthyol Cones								
Antiseptic Ichthyol and Iodir								
Cones	.Suppos. Ichthyolis et Iodi. Composita							
Antiseptic Picric Acid Cones	.Suppos. Acidi Picrici Comp.							
Apergols								
Aromatic Laxative Comp	.Syrupus Glycyrrhizæ Comp.							
Asparoline.	.Elix. Apii et Viburnum Comp.							
Astringent Vaginal Cones	.Suppositoria Astringens							
Bismuth Hydrate Comp	. Mist. Bismuthi Comp.							
Bronchoids	.Caps. Creosoti et Terebeni Comp.							
Cactalis	.Tab. Cactus Comp.							
Carminative	.Elix. Fœniculi Comp.							
Chiodrastis.	.Elix Hydrastis Comp.							
Cod Liver Oil, Preparation of	.Ext. Olei Morrhuæ Comp.							
Colchi-Methyl Capsules								
Creo Mur	.Elix. Creosoti et Terpini Comp. cum							
	Ammonium Chloridum							
Creo-Terpin Comp								
Digestive Kola Wine								
Formolid								
Glycerin Suppositories								
Glyceriodine								
	.Liq. Ferri et Mangani Peptonati.							
Hydrate of Magnesia								
Hydrogen Peroxide								
Hypno-Bromic Comp								
Ichthy-tannic Suppositories	.Suppositoria Ichthyolis et Acidi Tan-							
	nici Comp.							
Liquid Ferrose.								
Lyolith Tablets								
Methyl-Guaiacol								
Milk of Magnesia								
Nasal Tablets								
Obtundent.								
Ozogen	. Aqua Hydrogenii Dioxidi.							
Pancropatic Tablets.								
Papain Digestant								
Pap-Ken Pepto-Iron Tonic								
Phospho-Lecithin								
Pill Nephritic.								
Renaltone								
Sanguinaria Comp.								
Sodium Glycocholate Comp								
Syrup Hypophosphites Comp								
Thymiodide								
Tonga-Salicyl								
Longa-Dancyl	Zinai zonga compi							

INDEX

	PAGE
Alvinine Suppositories, Alvining Suppositories	. 3
Antiseptic Vaginal Cones, Plain	. 4
Antiseptic Astringent Cones, (See Astringent Vagina	.1
Cones)	
Antiseptic Ichthyol Cones	
Antiseptic Ichthyol and Iodine Cones	
Antiseptic Picric Acid Cones	
Antiseptic Solution (See Formolid)	
Apergols (Capsules)	
Aromatic Laxative Comp	
Asparoline	
Astringent Vaginal Cones	
Bismuth Hydrate Compound	
Bronchoids (Capsules)	
Cactalis (Tablets)	
Capsules (See respective titles)	. `
Carminative	
Chiodrastis	
Cod Liver Oil Extract, Preparation of	
Colchi-Methyl Capsules	
Creo-Mur.	. 20
Creo-Terpin Comp	. 19
Diarrhea_Mixture (See Bismuth Hydrate Comp.)	
Digestive Kola Wine	
Diuretic Compound (See Renaltone)	
Formolid (Antiseptic Solution)	. 22
Formolid Magnesia	. 23
Formolid Throat Ease. And And North Mark M. A.	
Glycerin Suppositories	
Glyceriodine (Hydriodic Acid)	
Grano-Pepton	
Hemogen	
Hydrate of Magnesia,	
Hydriodic Acid (See Glyceriodine)	
Hydrogen Peroxide	
Hypno-Bromic Compound	
Hypophosphites Comp. (See Syrup Hypophos. Comp) .	. 48
Ichthyol Cones (See Antiseptic Ichthyol Cones)	. 5

INDEX—Continued.

	PAGE
Ichthy-Tannic Suppositories	31
Kola Wine (See Digestive Kola Wine)	21
Laxative Comp. (See Aromatic Laxative Comp.)	10
Liquid Ferrose.	. 32
Lyolith Tablets	33
Methyl-Guaiacol	
Milk of Magnesia.	35
Nasal Tablets (Crandall)	
Nephritic Pılls (See Pill Nephritic)	
Obtundent	37
Ozogen, (See Hydrogen Peroxide)	29
Pancropatic Tablets.	
Papain Digestant	
Pap-Ken Tablets	40
Paraformic Throat Lozenges	
Pepto-Iron Tonic (Pills)	
Phospho-Lecithin.	43
Picric Acid Cones (See Antiseptic Picric Acid Cones)	
Pill Nephritich and and an analysis of the state of the s	44
Renaltone	
Rheumatic Ointment (See Methyl-Guaiacol)	
Rheumatic Elixir (See Tonga-Salicyl)	
Sanguinaria Comp	46
Sodium Glycocholate Comp. (Tablets)	
Syrup Hypophosphites Comp	48
Thymiodide.	49
Tonga-Salicyl	
W. ' -1 C (C - A -1;1; W;1 C)	4

When Ordering or Prescribing
Please Specify

WAMPOLE'S



Our business creed is, pure drugs, uniform products, fair prices, and absolute honesty and integrity in every detail.

Henry K. Wampole & Co.

Limited

Manufacturing Pharmaclate

Perth, Ont., Can.

